TECHNICAL DATASHEET: **BEST ARCHIA**





TECHNICAL INFORMATION



2 3		}	3		2			3		2		3		3	
4		1			2		3			+	4	1 2			
2	<u>.</u>			2			1		2	2		2		4	
2			:	2	_	1		1			_ 2		2		
	:	3	1.1	3		1		(1)	3				4 3		3
1	1 3		3	1				2			3	2			

Layout dimensions, set of 4 types of stones

Indicative composition of stones on the layer

name		layout dimensions (mm)			number of pieces on	quantity (m²)		weight (kg)			max. tonnage up to 24 t	
		height	length	width	one layer	layer	pallet	layer	pallet	pallet included	pcs of pallets	m ²
BEST ARCHIA	stone no. 1	80	280	210	5							
≤ 3,5 t ≥	stone no. 2	80	210	140	14	1.00	10.00	170	1700	1730	13	130.00
مَم	stone no. 3	80	140	140	12							
	stone no. 4	80	140	70	6							

We are holders of the Gold Certificate for complete certification according to ISO 9001, ISO 14001, ISO 50001, ISO 45001. Our products are manufactured and inspected pursuant to European harmonized standards.

product height	production standard		tion from declared dimensions	transverse tensile	skid/slip resistance	ČSN 73 1326, weather resistance, method A		
	stanuaru	width and length	height	strength	resistance	metnoa A		
80 mm	ČSN EN 1338	±2 m	±3 mm	≥ 3.6 MPa	satisfactory	\leq 1.0 kg/m ² after 100 cycles		

EXPLANATIONS OF PICTOGRAMS







TECHNICAL DATASHEET: BEST ARCHIA



SURFACE FINISHES AND COLOURS











NATURAL

COLORMIX BRILANT

COLORMIX ARABICA

COLORMIX AUTUMN

COLORMIX SAHARA

surface	characteristics	colour
STANDARD	standard surface with natural aggregate roughness corresponding to the visible layer of concrete paving	natural, colormix brilant, colormix arabica, colormix autumn, colormix sahara

GENERAL INFORMATION

Two-layer vibrated paving with high strength, frost resistance, surface resistance to water and chemical de-icing agents. The paving has low abrasion and good adhesion properties. BEST concrete elements are permanently impregnated against contamination.

The minimum shipping quantity is 1 layer; the stones cannot be delivered individually and it is not possible to determine the ratio of stones in the composition. The goods are loaded on marked pallets BEST (30 kg) or BEST large (38 kg) according to the production capacity of individual plants.

When laying, it is important to follow the correct procedure according to the instructions for use (www.best.cz).

Caution: BEST ARCHIA paving must be compacted with a vibrating plate with a plastic pad weighing no more than 170-200 kg with a set centrifugal force of 20-30 kN.







